

2100 Webster St #400, San Francisco, CA 94115 Phone: 415-417-3377 Fax: 415-851-4455 pilonidalsurgery.com

Taking a Fiber Supplement

There are many supplements, and all can be purchased without a prescription. Typically, they are not covered by your insurance plan but can be purchased through an HAS/FSA account if you have one. I feel the best supplement is Konsyl. I strongly recommend this brand over other psyllium-based supplements (like Metamucil, Benefiber, or raw psyllium husk from the health food stood which can be inconsistently processed) as the latter have less fiber per dose and many are artificially flavored and have other additives. I recommend the unflavored, sugar-free, natural version of Konsyl[©]. It can be purchased at a pharmacy and is much less expensive when ordered online.



Psyllium can cause you to feel a bit 'gassy'. The benefits far outweigh the downsides, so please try the Konsyl® first before switching to an alternative. 'Fiber pills' and 'gummies' contain very little fiber and are usually ineffective and a waste of money.

Fiber works by increasing the water content of hard bowel movements (BMs), making them bulkier. Fiber helps 'glue' together hard and fragmented BMs. Fiber also absorbs excess water in loose or diarrheal BMs and adds bulk. So, Konsyl is actually a stool regulator and not a laxative as it helps reduce both constipation and diarrhea. Even if you typically eat 'lots of fiber', a supplement can help since it's difficult to eat enough of the proper mix of soluble and insoluble fiber. Konsyl is also vegetarian and vegan friendly.

Fiber supplements are best consumed just before dinner: this typically promotes a bulky and productive bowel movement each morning. The optimal dose of *Konsyl®* is different for each person. Start with 2 teaspoons at once. You may require more if you continue to have hard bowel movements or are prone to constipation.

How to take Konsyl[©]:

- 1. Place the dose (usually 2 teaspoons) into an 8 oz. cup with a tight fitting lid. Fill with briskly flowing tap water. Quickly apply the lid, shake vigorously, and down-it (chug). Then quickly fill the cup again, apply the lid, shake and down again. Trying to slowly consume the Konsyl[©] will lead to a thick, gelatinous, unpalatable drink -- yuk! Konsyl[©] does not have an unpleasant taste but absorbs water rapidly and becomes a gel (that's why it works so well). I do not recommend mixing with fruit juice since rapid consumption is the key to success, so you'll waste the taste and make this a high calorie drink. Konsyl[©] has no taste. It's the consistency that you have to get past, and rapid consumption (before it's had the chance to absorb water and become a gel) is the key to successful chugging.
- 2. Rinse the cup well as the dried Konsyl®gel will tend to cake on the sides.

Alternative Fiber Supplements (None of these are quite as effective as *Konsyl*[©]):

- Metamucil or any generic brand of psyllium
- Citrucel
- Benefiber

If you are having some stool leakage or have loose stool the following can be effective as an alternative:

- Fibercon Tablets best taken just before each meal
- Metamucil Wafers as a snack.
 Tastes like graham crackers.

Avoid fiber capsules or gummies, as these hardly contain any useful fiber at all. For full

treatment for an anal fissure you will need to consume 48 of these capsules a day.

"The **Konsyl**® works great! It keeps me more regular than I've ever been."

.....Anonymous grateful patient.